

Long-wear lipstick with Eastman Sustane™ SAIB MCT

Part	Product name	Wt%	Ingredient/INCI name	Manufacturer
A	Eastman Sustane™ SAIB MCT	14.50	Sucrose acetate isobutyrate (and) caprylic/capric triglycerides	Eastman
	Regalite™ R1100 CG hydrocarbon resin	4.50	Hydrogenated styrene/methylstyrene/indene copolymer	Synthomer
	2-ethylhexyl palmitate	15.00	Ethylhexyl palmitate	—
	Foral™ 85-E CG hydrogenated rosin	3.00	Glyceryl hydrogenated rosinate	Synthomer
	Foralyn™ 5020-F CG hydrogenated rosin resin	2.00	Pentaerythrityl hydrogenated rosinate	Synthomer
	Eutanol® G	4.50	Octyldodecanol	BASF
B	Synthetic wax	6.50	Synthetic wax	Strahl & Pitsch
	Beeswax	7.00	Beeswax (cera alba)	Strahl & Pitsch
	Candelilla wax	7.50	Euphorbia cerifera (candelilla) wax	Strahl & Pitsch
	Carnauba wax	4.00	Carnauba wax	Strahl & Pitsch
	Ozokerite wax	7.50	Ozokerite wax	Strahl & Pitsch
	PARSOL® MCX	0.20	Ethylhexyl methoxycinnamate	DSM
	Eastman Tenox™ BHT	0.10	BHT	Eastman
	DW Jojoba (colorless)	6.00	Simmondsia chinensis (jojoba) seed oil	Vantage
	Covi-Ox® T 50 C	0.20	Tocopherol	BASF
	Neossance™ Squalane	6.00	Squalane	Aprinova
	Cocoa butter	2.50	Theobroma cacao (cocoa butter)	Strahl & Pitsch
	Crodamol™ AB	9.00	C12-15 alkyl benzoate	Croda

Part	Product name	Wt%	Ingredient/INCI name	Manufacturer
Stick	Eastman lipstick base	85.00	Ingredients from lipstick base	—
	NBP45R7	15.00	Isopropyl titanium triisostearate (and) propylene carbonate (and) polyhydroxystearic acid	Kobo Products

continued on back »

Long-wear lipstick base with SAIB MCT

PROCEDURE

1. Weigh out part A into a clean, sanitized, stainless steel mixing vessel. Heat part A between 85°–90°C.
2. Once at temperature and all ingredients are melted and incorporated, slowly add part B and keep the temperature between 70°–80°C.
3. Keep at temperature until all ingredients have been melted and become a homogeneous liquid.
4. Place the base in a storage container for future use.
5. Weigh out the base into a clean, sanitized, stainless steel vessel with mixer. Heat base to 70°–75°C.
6. Keep at temperature until base has been melted; then add pigment until it becomes a homogeneous liquid.
7. Start molding the lipstick on stainless steel molds, or store in a container for future use.



Eastman Corporate Headquarters

P.O. Box 431
Kingsport, TN 37662-5280 U.S.A.

U.S.A. and Canada, 800-EASTMAN (800-327-8626)
Other locations, +(1) 423-229-2000

www.eastman.com/locations

Although the information and recommendations set forth herein are presented in good faith, Eastman Chemical Company ("Eastman") and its subsidiaries make no representations or warranties as to the completeness or accuracy thereof. You must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and for the health and safety of your employees and purchasers of your products. Nothing contained herein is to be construed as a recommendation to use any product, process, equipment, or formulation in conflict with any patent, and we make no representations or warranties, express or implied, that the use thereof will not infringe any patent. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS AND NOTHING HEREIN WAIVES ANY OF THE SELLER'S CONDITIONS OF SALE.

Safety Data Sheets providing safety precautions that should be observed when handling and storing our products are available online or by request. You should obtain and review available material safety information before handling our products. If any materials mentioned are not our products, appropriate industrial hygiene and other safety precautions recommended by their manufacturers should be observed.

© 2022 Eastman. Eastman brands referenced herein are trademarks of Eastman or one of its subsidiaries or are being used under license. The ® symbol denotes registered trademark status in the U.S.; marks may also be registered internationally. Non-Eastman brands referenced herein are trademarks of their respective owners.