

Metal packaging coatings

As brand, consumer, and regulatory pressures drive market changes, formulators and can makers need BPA-NI (non-intent) resin systems that offer chemical resistance and hardness for interior and exterior coatings while maintaining critical shelf-life performance. Eastman Tetrashield™ protective resin systems enable productivity and sustainability without sacrificing the durability and toughness required.

DURABILITY

- Better balance of hardness and flexibility
- Better chemical resistance for hard-to-hold food
- Longer shelf stability

PRODUCTIVITY

- Faster dissolution rates
- Shorter production time and reduced cost
- Improved production rates due to decreased coating thickness and reduced layer count

SUSTAINABILITY

- Enables high-solids BPA-NI formulation
- Delivers global regulatory compliance
- Aids in more efficient use of materials and reducing energy-intensive manufacturing steps

Tetrashield product portfolio


Grade	Uses	Attributes
MP2100	<ul style="list-style-type: none">• Three-piece sanitary ends• Three-piece bodies	<ul style="list-style-type: none">• Chemical resistance• High solids• Flexibility
MP2101	<ul style="list-style-type: none">• Interior caps and closures—EOE aluminum ends	<ul style="list-style-type: none">• Chemical resistance• Toughness• High flexibility
MP2103	<ul style="list-style-type: none">• Food contact interior caps and closures• Three-piece bodies and sanitary ends	<ul style="list-style-type: none">• High chemical resistance• High solids• High reactivity
MP2104	<ul style="list-style-type: none">• Food contact interior caps and closures• Three-piece bodies and sanitary ends	<ul style="list-style-type: none">• High chemical resistance• High flexibility• High reactivity

Innovation and technical service

Eastman provides industry-leading technical service and starting point formulations. As your customers search for better durability, productivity, and sustainability, we can help you maximize performance by formulating with our Tetrashield portfolio of resin systems.

Eastman's global technical service teams are available to assist in improving formulation capability from our three global innovation centers. From these locations, our chemists provide customers assistance to quickly improve and adapt performance for hard-to-hold applications using Eastman specialty resins.

Global innovation centers



For more information on how we can help meet your emerging food packaging needs, contact your Eastman representative or email us at tetrashield@eastman.com.



Eastman Corporate Headquarters

P.O. Box 431
Kingsport, TN 37662-5280 U.S.A.

U.S.A. and Canada, 800-EASTMAN (800-327-8626)
Other locations, +(1) 423-229-2000

www.eastman.com/locations

Although the information and recommendations set forth herein are presented in good faith, Eastman Chemical Company ("Eastman") and its subsidiaries make no representations or warranties as to the completeness or accuracy thereof. You must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and for the health and safety of your employees and purchasers of your products. Nothing contained herein is to be construed as a recommendation to use any product, process, equipment, or formulation in conflict with any patent, and we make no representations or warranties, express or implied, that the use thereof will not infringe any patent. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS AND NOTHING HEREIN WAIVES ANY OF THE SELLER'S CONDITIONS OF SALE.

Safety Data Sheets providing safety precautions that should be observed when handling and storing our products are available online or by request. You should obtain and review available material safety information before handling our products. If any materials mentioned are not our products, appropriate industrial hygiene and other safety precautions recommended by their manufacturers should be observed.

© 2022 Eastman. Eastman brands referenced herein are trademarks of Eastman or one of its subsidiaries or are being used under license. The ® symbol denotes registered trademark status in the U.S.; marks may also be registered internationally. Non-Eastman brands referenced herein are trademarks of their respective owners.