

EASTMAN

Solvent selector chart



Eastman solvents: U.S. regulatory information

Compound	VOC CAAA, Title I	LVP-VOC ^a	HAP list CAAA, Title III	HAP content, wt%	SARA Title III Sec. 313 ^b	Prop 65	Ozone depleting substance CAAA, Title VI	Vapor pressure @ 20°C, mmHg	MIR value ^c g O ₂ /g VOC	FIFRA pesticide inert ingredient status ^d
Ketones										
Eastman MIPK (methyl isopropyl ketone)	Yes	No	No	< 1.0	No	No	No	42.00	1.65	—
Eastman MPK ^e (methyl <i>n</i> -propyl ketone)	Yes	No	No	≤ 10.0	No	No	No	27.80	2.81	NF, Fr
Eastman MIBK (methyl isobutyl ketone)	Yes	No	Yes	100	Yes	Yes	No	15.00	3.88	F, NF
Eastman MIAK (methyl isoamyl ketone)	Yes	No	No	< 1.0	No	No	No	4.50	2.41	NF
Eastman MAK (methyl <i>n</i> -amyl ketone)	Yes	No	No	< 1.0	No	No	No	2.10	2.36	F, NF, Fr
Eastman DIBK (diisobutyl ketone)	Yes	No	No	< 1.0	No	No	No	1.40	2.41	NF, Fr
Eastman C-11 ketone	Yes	No	No	< 1.0	No	No	No	—	—	—
Esters										
Methyl acetate	Exempt	No	No	≤ 2.5	No	No ^f	No	171.30	—	NF
Methyl acetate, high purity	Exempt	No	No	< 1.0	No	No	No	171.30	0.07	NF
Ethyl acetate, urethane grade	Yes	No	No	< 1.0	No	No	No	86.00	0.63	F, NF, Fr
Isopropyl acetate	Yes	No	No	< 1.0	No	No	No	47.50	1.07	NF, Fr
<i>n</i> -Propyl acetate	Yes	No	No	< 1.0	No	No	No	23.00	0.78	NF
Isobutyl acetate	Yes	No	No	< 1.0	No	No	No	12.50	0.62	F, NF, Fr
<i>n</i> -Propyl propionate	Yes	No	No	< 1.0	No	No	No	10.70	0.84	—
<i>n</i> -Butyl acetate	Yes	No	No	< 1.0	No	No	No	10.00	0.83	NF, Fr
IBIB	Yes	No	No	< 1.0	No	No	No	3.20	0.60	F, NF, Fr
<i>n</i> -Butyl propionate	Yes	No	No	< 1.0	No	No	No	3.00	0.84	—
EEP ether-ester	Yes	No	No	< 1.0	No	No	No	1.10	3.58	NF
2-EH acetate	Yes	No	No	< 1.0	No	No	No	0.40	0.66	NF
EG diacetate	Yes	No	No	< 1.0	No	No	No	0.20	0.66	—
Eastman Omnia™ high-performance solvent	Yes	Yes	No	< 1.0	No	No	No	0.004	—	F, NF
GE esters										
PM acetate	Yes	No	No	< 1.0	No	No	No	3.70	1.70	—
EB acetate	Yes	No	Yes	100	Yes	No	No	0.29	1.62	NF
DE acetate	Yes	Yes	Yes	100	Yes	No	No	0.05	1.48	—
DB acetate	Yes	Yes	Yes	100	Yes	No	No	0.04	1.38	—
Glycol ethers										
Eastman PM	Yes	No	No	< 1.0	No	No	No	8.00	2.44	F, NF
Eastman EP	Yes	No	Yes	100	Yes	No	No	1.30	3.30	NF
Eastman EB	Yes	No	No	< 1.0	Yes	No	No	0.60	2.90	F, NF, Fr
Eastman DE	Yes	Yes	Yes	100	Yes	No	No	0.095	3.26	F, NF, Fr
Eastman DP	Yes	Yes	Yes	100	Yes	No	No	0.05	2.85	—
Eastman DB	Yes	Yes	Yes	100	Yes	No	No	0.02	2.39	F, NF
Eastman EEH	Yes	Yes	No	< 1.0	No	No	No	0.08	-1.55 ^g	—
Alcohols										
<i>n</i> -Propyl alcohol	Yes	No	No	< 1.0	No	No	No	14.5	2.50	F, NF
Isobutyl alcohol	Yes	No	No	< 1.0	No	No	No	9	2.51	F, NF
<i>n</i> -Butyl alcohol	Yes	No	No	< 1.0	Yes	No	No	5.5	2.88	F, NF, Fr
2-EH alcohol	Yes	Yes	No	< 1.0	No	No	No	0.05	2.00	F, NF, Fr
Amides										
Dimethylformamide	Yes	No	No	< 1.0	Yes	Yes	No	3.7	—	F, NF
Pyrrolidones										
Eastman TamiSolve™ NxG	Yes	No	No	< 1.0	No	Yes	No	0.26	—	—
<i>N</i> -methyl-2-pyrrolidone	Yes	No	No	< 1.0	Yes	No	No	0.29	—	F, NF

^aTitle 12 California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94507-94517 ^bSuperfund Amendments and Reauthorization Act, Title III, Section 313, also known as Emergency Planning and Community Right-to-Know Act (EPCRA) ^cSAPRC-02 William P.L. Carter, Center for Environmental Research and Technology, College of Engineering, University of California—Riverside ^dFor details on status and specific permissions for FIFRA pesticide use, visit <https://aspub.epa.gov/pesticides/fifra/INERT/INDEX.10.NO.1> ^eMPK (methyl *n*-propyl ketone) is not on EPA's HAP or SARA lists or California's Prop 65 list. However, it does contain ≤ 10 wt% MIBK, which is on all three lists. ^fThis product contains ≤ 2.5 wt% methanol, which is a HAP, VOC, and Prop 65 chemical. ^gReported MIR value for EG mono-2-ethylhexyl ether is 1.55. Eastman EEH glycol ether is an 85/15 mixture of EG mono-2-ethylhexyl ether and DEG mono-2-ethylhexyl ether. Thus the MIR value is shown as -1.55 for the commercial product.
Users should consider this regulatory information provided only as a supplement to other information, such as safety data sheets. It is the responsibility of our customers to determine that their use of our product(s) is safe, lawful, and technically suitable in their intended applications. Because of possible changes in the laws and regulations, as well as possible changes in our products, we cannot guarantee that the status of these products will remain unchanged. Therefore, we recommend that customers continuing to use these products verify their status periodically.

F — food pesticide use with limitations
 NF — nonfood use only
 Fr — fragrance use

Eastman solvents available in urethane grade ¹
Eastman butyl acetate
Eastman <i>n</i> -butyl propionate
Eastman DE acetate
Eastman EB acetate
Eastman EEP solvent
Eastman ethyl acetate, urethane grade
Eastman 2-ethylhexyl acetate
Eastman isobutyl acetate
Eastman IBIB
Eastman isopropyl acetate
Eastman methyl acetate-HP
Eastman MAK (methyl <i>n</i> -amyl ketone)
Eastman MIAK (methyl isoamyl ketone)
Eastman MPK (methyl <i>n</i> -propyl ketone)
Eastman PM acetate
Eastman propyl acetate
Eastman <i>n</i> -propyl propionate

¹Water content is 0.05% maximum.

Eastman solvents available in electronic grade
Eastman EastaPure™ electronic chemicals
EP solvent
PM acetate, stabilized
Acetic acid
<i>n</i> -Butyl acetate
MAK
PM acetate
DB solvent
Ethyl acetate
EB solvent

Eastman solvents

Eastman has two online solvent tools: the Solvent Comparison Tool and the Solvent Reformulation Tool. The purpose of these tools is to help you sort through the long list of available solvents and develop solvent blend alternatives to satisfy performance goals and/or targeted costs while still considering regulatory information.

Solvent Comparison Tool

- Allows you to quickly compare solvents using 14 search filters, including Hansen Solubility Parameters
- Narrows search based on physical and regulatory properties to more quickly identify a product to fit your needs
- A robust database that includes newer VOC-exempt solvents and biodegradability information
- Lets you rapidly access biodegradable and LVP-VOC information concerning Eastman products
- Makes it easy to download and export the results of your search

Solvent Reformulation Tool

- Assists you in analyzing blend compositions to:
 - » Save cycle time
 - » Reduce costs
 - » Enhance performance
 - » Achieve regulatory compliance
- Includes traditional and newer solvents as well as biodegradability information
- Allows you to add any new solvent
- Saves your blend history throughout each session and can be downloaded as a spreadsheet for easy comparison of multiple blends
- Offers suggestions for solvent blend replacements

Visit eastman.com/solventtools to access both online solvent tools. If you'd like to discuss your options with someone in technology, email eastmancoatings@eastman.com.



EASTMAN

Eastman Corporate Headquarters

P.O. Box 431

Kingsport, TN 37662-5280 U.S.A.

U.S.A. and Canada, 800-EASTMAN (800-327-8626)

Other locations, +(1) 423-229-2000

eastman.com/locations

Although the information and recommendations set forth herein are presented in good faith, Eastman Chemical Company ("Eastman") and its subsidiaries make no representations or warranties as to the completeness or accuracy thereof. You must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and for the health and safety of your employees and purchasers of your products. Nothing contained herein is to be construed as a recommendation to use any product, process, equipment, or formulation in conflict with any patent, and we make no representations or warranties, express or implied, that the use thereof will not infringe any patent. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS AND NOTHING HEREIN WAIVES ANY OF THE SELLER'S CONDITIONS OF SALE.

Safety Data Sheets providing safety precautions that should be observed when handling and storing our products are available online or by request. You should obtain and review available material safety information before handling our products. If any materials mentioned are not our products, appropriate industrial hygiene and other safety precautions recommended by their manufacturers should be observed.

© 2024 Eastman. Eastman brands referenced herein are trademarks of Eastman or one of its subsidiaries or are being used under license. Non-Eastman brands referenced herein are trademarks of their respective owners.